Our office is closed on Monday April 29th & Tuesday April 30th for Passover



Home > Products > ProX Truss > Ground Support > Outriggers, Stabilizers & Ballast > Single 3 Ft. Outrigger Support Brace for Leveling Ground Support Truss Tower Base

SKU: XT-GSOUTS3

Permalink: http://www.proxdire

Search on Google

Find A Dealer

Single 3 Ft. Outrigger Support Brace for Leveling Ground Support Truss Tower Base

Product Images



Our Products And You

Submit your story

ProX XT-GSOUTS3 Single 3 Ft. Outrigger Support Brace for Leveling Ground Support Truss Tower Base

Description

ProX XT-GSOUTS3 Single 3 Ft. Single Outrigger Support Brace for Leveling Ground Support Truss Tower Base. XT-GSOUTS3 is a Single 36" Outrigger with an Adjustable Foot and Aluminum Assist Brace Tube Outrigger Base strut that attaches to both the base and the Tower Truss, establishing a firm, steady installation.

Features

- Includes (1) Outriger Clamping Brace
- 2" Diameter Tube with Clamp and Bolted hinge.
- 64" Aluminum Assist Tube with Clamp
- 36" Steel Outrigger & Adjustable Foot
- · Assembly is required

Exterior Dimensions & Weight

64.00"H x 2.00"W x 37.50"L - Weight: 29.00 lbs

Shipping Dimensions & Weight

Box 1 of 1: 6.00"H x 8.00"W x 64.00"L - Shipping Weight: 34.00 lbs

Suggested Shipping Method: Parcel

UPC

019372406372



Commonly Asked Questions

+ Where can I buy one?

submit a question

Customer Testimonials

What did you think

Related Products











Single 3 Ft. Outrigger Support Brace for Leveling Ground Support Truss Tower Base SKU: XT-GSOUTS3

Pair 1 Ton Manual Chain Hoist with 30 Ft (9 M) Chain for Stage Truss roof system and



Top Truss Section for Electric Motor or Manual Chain Hoist SKU: XT-TOPCM







Ground Support Sleeve Block for F34 Truss Segment Systems SKU: XT-BLOCK-MK2

