Find A Dealer



Home > Products > ProX Truss > Roofing Systems > Stage Roofing Packages > 12D Stage Roofing System 40'W x 40'L x 23'H & Speaker Wings - Incl 6 Chain Hoist

SKU: XTP-GS404023-PR3-12D

Permalink: http://www.proxdire

Search on Google

12D Stage Roofing System 40'W x 40'L x 23'H & Speaker Wings - Incl 6 Chain Hoist

Product Images



Our Products And You

Submit your story

ProX XTP-GS404023-PR3-12D 12D Stage Roofing System 40'W x 40'L x 23'H & Speaker Wings - Incl 6 Chain Hoist

Description

Full Package of four-legged outrigger Truss base, with a 4-way Square Truss junction box Sleeve Block, on a 3' long square Truss. Complete with the Rigging Top.

In this package, you have everything you need for a complete roofing solution:

- 6 XTP-GSBPACK3 Truss Tower Lift Systems,
- 32 XT-SQ984 9.84ft (3.00m) Square Truss Segment,
- 20 XT-SQ715 7.15ft(2.15m) Square Truss Segment,
- 12 XT-SQ12D 9"(0.23m) 12D Corner,
- 2 XT-JB6W-4W 6 Way Square Truss Junction Block,
- 8 XT-SPFF105 Spacer 105mm Female Coupler,
- 2 XT-SQ656 6.56ft(2.00m) Square Truss Segment,
- 6 XT-SQ328 3.28ft(1.00m) Square Truss Segment,
- 3 XT-MCH1TX2-30FT Sets of 2 1T Manual Chain Stage Hoist with 30ft Chain,

ProX Truss has the most trusted staging support systems in the industry, and is built to the highest standards of safety and performance. It's a rugged yet lightweight trussing solution perfect for mobile DJs, bands, outdoor performances, nightclubs, live mobile productions, or permanent installations.

At the heart of the system is square truss that utilize a standard conical connector system, which easily mates with other brands of truss of the same size and connector style, and is available in a variety of lengths to suit your designs. It also works with different types of corners, base plates, connectors and accessories that add stability while expanding on limitless configurations.

- Tolerance Free Standard Conical connector
- Main tube wall thickness of .08in

Features

XT-SQ SERIES DIMENSIONS:

Height: 11,42in / 290mm
Width: 11,42in / 290mm
Weight: ~5.0 lbs/ft / ~7.0/m
Main Tube: 2in / 50mm
Braces: .75in / 20mm

• Material: EN-AWT6 6082 Aluminum

ProX Truss products utilize industry standard dimensions to be compatible to connect to/with many other manufacturers trussing.

Suggested Shipping Method: LTL

Our Products and You

Submit your story

Commonly Asked Questions

+ Where can I buy one?

submit a question

Customer Testimonials

What did you think

Related Products



12 Degree F34 Square Truss Angle Connector | 2mm Wall SKU: XT-SQ12D

<u>Truss Tower Stage Roofing System Package -Top Block | Hinges | Base | Outriggers and 3.28 Ft. 2 mm Wall Truss Segment SKU: XTP-GSBPACK3</u>











$\frac{\textbf{9.84 Ft - 3.00 M F34 Square Truss Segment} \mid \textbf{2 mm Wall}}{\text{SKU: XT-SQ984}}$



Spacer 105mm Female Coupler SKU: XT-SPFF105

