

Home > Products > ProX Truss > Roofing Systems > Stage Roofing Packages > 12D Stage Roofing Truss System Package with Speaker Wings

SKU: XTP-GS322823-PRB3-12D

Permalink: http://www.proxdire

Search on Google

12D Stage Roofing Truss System Package with Speaker Wings

Find A Dealer

Product Images



Our Products And You

Submit your story

ProX XTP-GS322823-PRB3-12D 12D Stage Roofing System with 7 Ft Speaker Wings and 6 Chain Hoists | 32 Ft W x 28 Ft L x 23 Ft H

Description

The ProX XTP-GS322823-PRB3-12D Stage Roofing System with Speaker Wings is 30'W x 20'L x 23'H and Includes 6 Chain Hoists. The 30-foot by 20-foot trussing area is large enough to cover a multi-person live band or a very large DJ production set up and the 7 foot wings are more than enough to hang speakers and lighting fixtures. You can hang lighting, curtains, video screens and speakers from the truss system and adjust the height up to 23 feet high. Scalable to smaller staging needs. The entire structure is lifted and held in place with Six (6) chain hoist lifting stations that are the stands that support the entire system. The stage roof trussing is designed to hold lighting and audio gear evenly distributed around the stage roofing system. Guy wires required for most installations!

In this package, you have everything you need for a complete roofing solution:

Package Includes:

(6) XTP-GSBPACK3 | Ground Support Lift Towers

(12) XT-SQ984 | 9.84ft F34 Segments

(4) XT-SQ820 | 8.20ft F34 Segments

(6) XT-SQ656 | 6.56ft F34 Segments

(2) XT-JB6W-4W | Junction Blocks

(6) XT-F32820 | 8.20ft F32 Segments

(6) XT-F32656 | 6.56ft F32 Segments

(20) XT-SPFF105 | Female to Female Couplers

(18) XT-CP103P | Half Conical Connectors

(12) XT-F32-12D | 12-Degree F32 Segments

(8) XT-SQ12D | 12-Degree F34 Segments

(3) XT-MCH1TX2-30FT | 30ft Manual Chain Hoists - 1Ton

ProX XT-SQ series trussing is a rugged and durable trussing package solution. Perfect for live outdoor or indoor productions, exhibitions, as well as nightclubs, and other permanent installations. **ProX Live Performance Gear®** offers a wide variety of single tubes, mounting plates, clamps and accessories that allow limitless design configurations to suit your needs. Always consult an engineer for complex designs!

ProX XT-SQF34 2MM SERIES DIMENSIONS:

Height: 11.42in / 290mmWidth: 11.42in / 290mm

• Weight: 21lb/9,5kg per 3.28 ft / 1 meter

■ Main Tuhe: 2in / 50mm

Wall Thickness: .08in / 2mm
Braces: .75in / 20mm

IMPORTANT: Always know your load weight for your equipment: XT-SQ Truss Loading Chart

Features

- . Manufactured to Exacting Specifications in our Own Factory!
- Tolerance Free Standard Conical Connectors
- Truss Main Tube Wall Thickness of .08in / 2mm
- · Load Capacity is 1 Ton (2000 lbs) per corner lift unit (4 tons total weight including truss)
- Material: EN-AWT6 6082 Aluminum and Welded Steel (Painted Black)
- TUV Certified Aluminium/Steel Welding

TUV is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

ProX Truss products utilize industry standard dimensions to be compatible to connect to/ and work with many other manufacturers' F34 trussing products with conical connectors.

Package Contents

- XT-BLOCK-MK2 (6) Ground Support Sleeve Block for F34 Truss Segment Systems
- XT-TOPCM (6) Top Truss Section for Electric Motor or Manual Chain Hoist
- XT-GSB MK3 (6) Universal Vertical Tower Truss Ground Support Base on Wheels with Leveling Jacks for F34, F44 and 12" Bolt truss
- XT-GSOUTS3 (24) Single 3 Ft. Outrigger Support Brace for Leveling Ground Support Truss Tower Base
- XT-HINGE (24) Conical Tube Ground Support Post towers Male to Male Hinge Joint Fits F31 F32 F34
- XT-SQ328 (6) 3.28 Ft 1.00 M F34 Square Truss Segment | 2 mm Wall
- XT-SQ984 (12) 9.84 Ft 3.00 M F34 Square Truss Segment | 2 mm Wall
- XT-MCH1TX2-30FT (3) Pair 1 Ton Manual Chain Hoist with 30 Ft (9 M) Chain for Stage Truss roof system and line array speakers
- XT-SQ820 (4) 8.20 Ft. 2.50 M F34 Square Truss Segment | 2 mm Wall
- XT-SQ656 (6) 6.56 Ft 2.00 M F34 Square Truss Segment | 2 mm Wall
- XT-SQ12D (8) 12 Degree F34 Square Truss Angle Connector | 2mm Wall
- XT-SQ705 (12) 7.05 Ft 84.64 Inch 2.15 M F34 Square Truss Segment 2 mm Wall
- XT-JB6W-4W (2) 6 Way Square Truss Junction Block Includes 4 Way 16 Half Conical Couplers
- XT-F32-820 (6) 8.20 Ft 2.5m F32 I-Beam Truss Segment 2mm Wall
- XT-F32-656 (6) 6.56 Ft. 2m F32 I-Beam Segment Truss 2mm Wall
- XT-F32JBOX (9) F32 6 Way Universal Box Junction | 3mm Wall
- XT-F32-12D (12) 12 Degree F32 Truss Corner
- XT-SPFF105 (20) Spacer 105mm Female Coupler
- XT-CP-103P (18) Truss Junction Box Connector Pack for One Side

Exterior Dimensions & Weight

XT-JB6W-4W (2): 11.45"H x 11.45"W x 11.45"L - Weight: 17.00 lbs XT-SQ12D (8): 11.42"H x 11.42"W x 10.00"L - Weight: 8.00 lbs XT-SQ656 (6): 78.72"H x 11.42"W x 11.42"L - Weight: 31.00 lbs XT-SQ820 (4): 98.40"H x 12.00"W x 12.00"L - Weight: 36.00 lbs XT-SQ984 (12): 118.08"H x 12.00"W x 12.00"L - Weight: 42.00 lbs XT-SQ328 (6): 39.36"H x 11.42"W x 11.42"L - Weight: 19.00 lbs XT-GSOUTS3 (24): 64.00"H x 2.00"W x 37.50"L - Weight: 29.00 lbs XT-TOPCM (6): 11.50"H x 9.50"W x 24.00"L - Weight: 26.40 lbs XT-BLOCK-MK2 (6): 18.50"H x 22.50"W x 22.50"L - Weight: 77.30 lbs

Shipping Dimensions & Weight

Box 1 of 17: XT-CP-103P (18 boxes) 2.00"H x 6.00"W x 4.00"L - Shipping Weight: 2.00 lbs Box 2 of 17: XT-F32-12D (12 boxes) 4.00"H x 11.00"W x 11.50"L - Shipping Weight: 2.00 lbs Box 3 of 17: XT-F32JBOX (9 boxes) 3.00"H x 12.00"W x 12.00"L - Shipping Weight: 6.00 lbs Box 4 of 17: XT-F32-656 (6 boxes) 3.00"H x 12.00"W x 79.00"L - Shipping Weight: 13.00 lbs Box 5 of 17: XT-F32-820 (6 boxes) 2.50"H x 13.00"W x 99.00"L - Shipping Weight: 17.00 lbs Box 6 of 17: XT-JB6W-4W (2 boxes) 12.50"H x 12.50"W x 12.50"L - Shipping Weight: 17.50 lbs

Box 7 of 17: XT-SQ705 (12 boxes) 13.00"H x 13.00"W x 86.00"L - Shipping Weight: 30.00 lbs

Box 8 of 17: XT-SQ12D (8 boxes) 12.00"H x 12.00"W x 12.00"L - Shipping Weight: 9.00 lbs

Box 9 of 17: XT-SQ656 (6 boxes) 80.50"H x 13.00"W x 13.00"L - Shipping Weight: 35.00 lbs

Box 10 of 17: XT-MCH1TX2-30FT (3 boxes) 11.00"H x 19.00"W x 15.00"L - Shipping Weight: 104.00 lbs

Box 11 of 17: XT-SQ984 (12 boxes) 14.00"H x 14.00"W x 120.00"L - Shipping Weight: 46.00 lbs

Box 12 of 17: XT-SQ328 (6 boxes) 41.50"H x 12.50"W x 12.50"L - Shipping Weight: 21.00 lbs

Box 13 of 17: XT-HINGE (24 boxes) 2.00"H x 5.00"W x 5.00"L - Shipping Weight: 2.50 lbs

Box 14 of 17: XT-GSOUTS3 (24 boxes) 6.00"H x 8.00"W x 64.00"L - Shipping Weight: 34.00 lbs

Box 15 of 17: XT-GSB MK3 (6 boxes) 9.00"H x 29.00"W x 29.00"L - Shipping Weight: 70.00 lbs Box 16 of 17: XT-TOPCM (6 boxes) 12.00"H x 10.00"W x 25.00"L - Shipping Weight: 28.00 lbs

Box 17 of 17: XT-BLOCK-MK2 (6 boxes) 20.00"H x 24.00"W x 24.00"L - Shipping Weight: 80.00 lbs

UPC

804589615675

Our Products and You

Submit your story

Commonly Asked Questions

+ Where can I buy one?

submit a question

Customer Testimonials

What did you think

Related Products













PRO Truss Tower Stage Lift System Package -Top Block | Hinges | Base | Outriggers and 3.28 Ft. 3 mm Ladder Truss Segment

SKU: XTP-GSBPACK3 PRO