Find A Dealer



Home > Products > ProX Truss > F34 Conical Segments 2mm > Straight Segments > 1.64 Ft - 0.5 M F34 Square Truss Segment | 2 mm Wall

SKU: XT-SQ164

Permalink: http://www.proxdire

Search on Google

1.64 Ft - 0.5 M F34 Square Truss Segment | 2 mm Wall

Product Images



Our Products And You



submit your story

ProX XT-SQ164 1.64 Ft - .5 M F34 Square Truss Segment | 2 mm Wall

Description

for rental, touring, and exhibition companies. ProX is one of the most trusted truss manufacturers in the live entertainment industry and is engineered and manufactured to the highest standards of safety and performance. **ProX Live Performance Gear®** specializes in high-quality, general-purpose aluminum lighting and stage trussing in F31/F32/F34 and 12" bolted configurations designed for live stages, theaters, nightclubs, church installations, mobile applications, trade shows, and retail applications.

The **ProX Conical Coupling System** allows for genderless trusses, providing a more precise lineup of chords and fastening points, while the conical shape of the couplers helps maintain overall rigidity at the stress points and makes parts harder to damage. *This system also makes assembly/disassembly quick and easy, all you need is a small brass or aluminum hammer.* The XT-SQ series easily mates with most other brands of trusses of the same size and connector type and is available in a variety of lengths to suit your designs. Our outstanding quality control and manufacturing techniques assure excellent fitment at every connection to expedite your setups. We manufacture with **EN-AWT6 6082** Aluminum for safety and strength. The 2mm wall thickness assures durability and strength and can be used for spans up to 52.5 Ft. (16 M).

ProX XT-SQ series F34 trussing is a rugged and durable trussing solution perfect for live outdoor or indoor productions, exhibitions, retail displays as well as nightclubs, and other permanent installations. ProX also manufactures a comprehensive selection of trussing accessories including clamps, hanging & lifting points, spacers, box corners, mounting poles, base/top plates, and much more to complete your ideas and make your design an impressive rigging project or a simple show booth. Always consult an engineer for complex designs!

ProX XT-SQ SERIES DIMENSIONS:

Height: 11.42in / 290mmWidth: 11.42in / 290mm

• Weight: 21lb/9,5kg per 3.28 ft / 1 meter

Main Tube: 2in / 50mmWall Thickness: .08in / 2mmBraces: .75in / 20mm

IMPORTANT: Always know your load weight for your equipment: XT-SQ Truss Loading Chart

Features

• Manufactured to Exacting Specifications in our Own Factory!

· Actual Height: 1.64 ft (.5 Meter) Square Truss Segment

· Actual Weight: 13 Lbs.

Includes One Connecting Hardware Set
Material: EN-AWT6 6082 Aluminum
TUV Certified Aluminium Welding

TÜV Rheinland® is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TÜV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

ProX Truss products utilize industry standard dimensions to be compatible to connect to/ and work with many other manufacturers of F34 trussing products with conical connectors.

Exterior Dimensions & Weight

19.68"H x 11.42"W x 11.42"L - Weight: 13.00 lbs

Shipping Dimensions & Weight

Box 1 of 1:22.00"H x 14.00"W x 14.00"L - Shipping Weight: 15.00 lbs

Suggested Shipping Method: Parcel

UPC

019372406327

Our Products and You

Submit your story

Commonly Asked Questions

+ Where can I buy one?

submit a question

Related Products





9.02 Ft 2.75 M F34 Square Truss Segment | 2 mm Wall SKU: XT-SQ920



8.20 Ft. 2.50 M F34 Square Truss Segment | 2 mm Wall SKU: XT-SQ820



3.28 FT 1M F34 Professional Ladder Truss Segment 3mm Tubing SKU: XT-SQPL328



Power Connector Box for 4X Edison Power Outlet For Indoor Use - New Slim Design SKU: X-PWEX4BOX

