

**Our office is closed on Monday April 29th & Tuesday April 30th for Passover**



Home > Products > ProX Truss > Pre-Rigging & Mobile Systems > , Mounting Accessories , ProX Lighting > > 30 x 24 in. U Shape Module for ProX XT-GRU Rapid Grid Modular System

SKU: XT-GRU3024

Permalink:

[Search on Google](#)

## 30 x 24 in. U Shape Module for ProX XT-GRU Rapid Grid Modular System

[Find A Dealer](#)

### Product Images



[Download Product Images](#)

### Our Products And You

Submit your story

### ProX XT-GRU3024 30 x 24 in. U Shape Module for ProX XT-GRU Rapid Grid Modular System

#### Description

The ProX **XT-GRU3024 Rapid Grid™** modular design allows endless configurations for single fixtures, double hanging or ladders of multiple fixtures, which can also be expanded to create a wall of hanging positions. Each U module has two safety point attachments, one on each side for use with multiple styles of fixtures. The ProX GRU Rapid Grid™ System has been designed for quick deployment and take down in any environment. The lightweight yet strong aluminum construction is additionally reinforced to provide added stability and safety.

Easily expand the configurations of the GRU Rapid Grid™ System by utilizing the standard ProX Truss selection of single tube 2" pipes, T sections, spigots, or corner adapters. These products all will fit into the GRU system which allows you to create hanging structures in an unlimited amount of designs for lighting utility.

ProX Truss products utilize industry standard dimensions to be compatible to connect to/with many other manufacturers trussing products with conical connectors.



TUV is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

### Features

- Download the **ProX Truss/Rigging Safety Guide**
- **Single Grid Dimensions: 23.6" x 29.6" x 2" Tube O.D.**
- **Load Capacity up to 110 lbs. Per Segment**
- **Manufactured in our Own Factory!**
- **Material: EN-AWT6 6082 Aluminum**
- **0.08" (2mm) Wall Thickness**
- **TUV Certified Aluminium Welding**

- Includes Connecting Hardware

---

### Shipping Dimensions & Weight

Box 1 of 1: 6.00"H x 25.00"W x 32.00"L - Shipping Weight: 23.00 lbs

Suggested Shipping Method: Parcel

### UPC

019372411277

### Master Box

QTY 2 pcs

11.00"H x 25.00"W x 32.00"L

Shipping Weight: 46.00 lbs

Number of Master Boxes: 1

---

### Our Products and You

Submit your story

---

### Commonly Asked Questions

+ Where can I buy one?

[submit a question](#)

---

### Customer Testimonials

What did you think

---

### Related Products

#### [24" Width Module Top Bar for ProX XT-GRU Rapid Grid Modular System](#)

SKU: XT-GRTOP24



---

#### [24 x 30 in. Module Base Plate with Locking Casters for ProX XT-GRU Rapid Grid Modular System](#)

SKU: XT-BP2430W



---

#### [Truss Modular 2X Rapid U Grid Dual Package for Lighting - Moving Heads W-Rolling Aluminum Baseplate](#)

SKU: XT-GRU-PKGX2



---

#### [Truss Modular 3X Rapid U Grid Trio Package for Lighting - Moving Heads W-Rolling Aluminum Baseplate](#)

SKU: XT-GRU-PKGX3



