



Home > Products > ProX Truss > Blocks, Corners & Junctions > > 6 Way Square Truss Junction Block - Includes 4 Way 16 Half Conical Couplers | Black Powder Coated | 3mm Wall

SKU: XT-JB6W-4W-BLK

Permalink:

[Search on Google](#)

## 6 Way Square Truss Junction Block - Includes 4 Way 16 Half Conical Couplers | Black Powder Coated | 3mm Wall

[Find A Dealer](#)

### Product Images



[Download Product Images](#)

### Our Products And You

Submit your  
story

### ProX XT-JB6W-4W-BLK 6 Way F34 Corner Block W/16 4 Way Half-Conical Couplers Black Powder Coated | 3mm Wall

#### Description

The **ProX XT-JB6W-4W-BLK 6 Way Square Truss Junction Box | 3mm Wall** is a universal connecting point for F34 trusses, and it's equipped with connecting hardware for use with ProX XT F34 square truss components. It features 2" outer diameter tubing and 3/4" diagonal bracing. It has XT Series 3mm thick tube walls, this truss junction block is strong and can be used for many applications. It is built to the highest standards of safety and performance. Finished in Powder Coated Black

16 Half Conical couplers included, additional conical couplers can be added for more utility ([Sold Separately XT-CA-103](#))

Powder coating provides a stronger finish that is more resistant to damage than paint! Using a black powder coat truss is an effective way to add character to your truss designs. Powder-coated black aluminum ProX truss products provide an extra element that will help to personalize your truss display. Powder-coated finishes provide durability that reduces the risk of scratches, chipping, abrasions, corrosion, fading, and other wear issues.

**ProX Goes Green** - *Unlike many liquid paints, powder coatings offer a smaller carbon footprint which reduces the adverse effects on the environment. Powder coatings contain no solvents and release little or no amount of Volatile Organic Compounds (VOC) into the atmosphere!*

Always know your load weight for your equipment: [VERY IMPORTANT - CLICK HERE for Truss Loading Chart.](#)

- **Tolerance Free Conical Connector System**
- **Main tube wall thickness of .08in (2mm)**
- **ProX Heavy Duty Connector Sockets**

#### XT-SQ SERIES DIMENSIONS:

- Height: 11.42in / 290mm
- Width: 11.42in / 290mm
- Weight: 21lb per 3.28 ft / 9.5kg per meter
- Main Tube: 2in / 50mm
- Wall Thickness: .11in / 3mm
- Braces: .75in / 20mm

Includes 4 Side Couplers

---

#### Features

- **Manufactured in our Own Factory!**
- **Material: EN-AWT6 6082 Aluminum**
- **TUV Certified Aluminium Welding**
- **Black Powder Coated**



**TUV** Is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

**ProX Truss products utilize industry standard dimensions to be compatible to connect to/with many other manufacturers F34 trussing products.**

---

#### Shipping Dimensions & Weight

**Box 1 of 1:** 12.50"H x 12.50"W x 12.50"L - Shipping Weight: 18.00 lbs

**Suggested Shipping Method:** Parcel

#### UPC

019372410980

---

#### Our Products and You

Submit your  
story

#### Commonly Asked Questions

+ Where can I buy one?

[submit a question](#)

---

#### Customer Testimonials

What did you think

#### Related Products

---



**[3.28ft - 1.00m F34 Segment Black Powder Coated | 2mm Wall](#)**  
SKU: XT-SQ328BLK



**[4.92ft 1.50m F34 Segment Black Powder Coated | 2mm Wall](#)**  
SKU: XT-SQ492BLK



---

**6.56ft 2.00m F34 Segment Black Powder Coated**

SKU: XT-SQ656BLK



---

**8.20ft (2.50m) F34 Segment Black Powder Coated | 2mm Wall**

SKU: XT-SQ820BLK



---

**9.84Ft 3m F34 Segment Black Powder Coated | 2mm Wall**

SKU: XT-SQ984BLK

