



Home > Products > ProX Truss > F31 & Single Tubes 2mm > F31 Single Tubes Specialties > 6.56ft - 2.0m F31 Wave Single Pipe 6.56ft - 2.0m 4 Pack | Plates-Covers Not Included

SKU: XT-WAVE656

Permalink:

[Search on Google](#)

6.56ft - 2.0m F31 Wave Single Pipe 6.56ft - 2.0m 4 Pack | Plates-Covers Not Included

[Find A Dealer](#)

Product Images



[Download Product Images](#)

Our Products And You

[Submit your story](#)

ProX XT-WAVE656 6.56ft - 2.0m F31 Wave Single Pipe 6.56ft - 2.0m 4 Pack | Plates/Covers Not Included

Description

The **ProX XT-WAVE656** Wave single-tube system can make for very unique shapes for totems by adding base plates and top plates along with spandex covers. (sold separately) They can also be incorporated into trussing systems (non-load bearing) for creating interesting accents.

ProX Truss specializes in high-quality, general-purpose aluminum lighting and stage trussing designed for live stages, theaters, nightclubs, church installations, mobile applications, trade shows, and retail applications. Our products are built using 6082-T6 Aluminum Alloy compositions. This lightweight, corrosion-resistant aluminum has a very high tensile strength, giving you the support and stability you need. The ProX Truss Conical Coupling System allows for genderless trusses, providing a more precise line up of chords and fastening points, while the conical shape of the couplers helps maintain overall rigidity at the stress points and makes parts harder to damage. This system also makes assembly quick and easy with very few tools needed to complete set up.

Covers, Top Plate and Base Plates are shown for illustration only and are not included in the package. Purchase the plates and covers appropriate for your needs separately.

Pack of 4x 6.56ft 2M waved single pipes only.

Features

- **Pack of 4x 6.56ft 2M waved F31 single pipes only.**
- **Manufactured in our Own Factory!**
- **Material: EN-AWT6 6082 Aluminum**
- **TÜV Certified Aluminium Welding**
- **6.56 ft (2.0 M) Overall Length**
- **2" (50mm) Outer Diameter Tubing**
- **0.08" (2mm) Wall Thickness**



TÜV is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TÜV provides inspections,



testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

Shipping Dimensions & Weight

Box 1 of 1: 5.00"H x 9.00"W x 79.50"L - Shipping Weight: 20.00 lbs

Suggested Shipping Method: Parcel

UPC

019372409267

Our Products and You

Submit your story

Commonly Asked Questions

+ Where can I buy one?

[submit a question](#)

Customer Testimonials

What did you think

Related Products

[Carry Bag fits XT-WAVE656 4-Pack of Wave Pipes](#)

SKU: XT-WAVE-BAG



[50' Ft 110VAC Female 18AMP Power Cord 14AWG Extension Cable Power Cord](#)

SKU: XC-P141-50




[White 6.56Ft 2 meter Lycra Cover Scrim Sleeve fits 12" Quad Box Truss Segment](#)

SKU: XTC-SQ656TS-W



[24" x 24" 8mm Aluminum Base Plate F34 Trussing Includes Conical Connectors](#)

SKU: XT-BP2424A





30" Aluminum 8mm Truss Base Plate for F34 F32 F31 Conical Square Truss with Connectors

SKU: XT-BP3030A
