



Home > Products > ProX Truss > F34 Conical Segments 2mm > Straight Segments , Pre-Rigging & Mobile Systems > > 8' FT Pre-Rig Truss Segment with Removable Rolling Base System BLACK

SKU: XT-PRERIG8FTBLK

Permalink: <http://www.proxdir.com>

[Search on Google](#)

8' FT Pre-Rig Truss Segment with Removable Rolling Base System BLACK

[Find A Dealer](#)

ProX XT-PRERIG8FTBLK 8' FT Pre-Rig Truss Segment with Removable Rolling Base System

Description

ProX XT-PRERIG8FTBLK 8' Ft. **Pre-Rig Rectangular Truss Segment with Removable Rolling Base System** This Pre-Rig Rectangular Truss Segment is a durable and versatile trussing system designed for professional use in the entertainment industry. This truss segment is made of high-quality T6-6062 Aluminum Alloy which provides excellent strength and rigidity.

One of the standout features of this truss segment is its side-loading system. This system allows a single technician to easily prep a section of truss in the shop prior to shipping. This means that the truss can be quickly and efficiently assembled on-site, saving time and reducing labor costs.

The side-loading system also makes it easy to attach lighting and audio equipment to the truss. The system provides a secure and stable mounting point for equipment, ensuring that it stays firmly in place from transport to performances, and events.

Overall, this Pre-Rig Rectangular Truss Segment is an excellent choice for professional lighting designers, event planners, and musicians. With its durable construction, versatile design, and easy-to-use side-loading system, this truss segment is an essential tool for creating stunning visual displays and stage backdrops.

MIN HEIGHT: 36"

MAX HEIGHT: 44"

2" TUBING

This package ships in (2) separate boxes:

Box 1: Truss Segment Section

Box 2: Rigging Legs + Casters

Features

- Includes Removable rolling base system
- Provides stability during transport
- Ideal for Pre-Rigging Stage Lighting
- Made of high-quality T6-6052 Aluminum Alloy

Exterior Dimensions & Weight

NO CONNECTORS: 24.00"H x 41.00"W x 96.00"L - Weight: 125.00 lbs

WITH CONNECTORS: 24.00"H x 41.00"W x 101.00"L - Weight: 165.00 lbs

Shipping Dimensions & Weight

Box 1 of 2: Rigging Legs + Casters 8.00"H x 10.00"W x 91.00"L - Shipping Weight: 115.00 lbs

Box 2 of 2: Truss Segment Section 16.00"H x 26.00"W x 98.00"L - Shipping Weight: 60.00 lbs

Suggested Shipping Method: LTL

UPC

804589618379

Our Products and You

Submit your
story

Commonly Asked Questions

Ask a question

Customer Testimonials

What did you think

Related Products



8' FT Pre-Rig Rectangular Truss Segment with Removable Rolling Base System
SKU: XT-PRERIG8FT



10' FT Pre-Rig Rectangular Truss Segment with Removable Rolling Base System
SKU: XT-PRERIG10FT



10' FT Pre-Rig Truss Segment with Removable Rolling Base System BLACK
SKU: XT-PRERIG10FTBLK



5' FT Pre-Rig Rectangular Truss Segment with Removable Rolling Base System
SKU: XT-PRERIG5FT



5' FT Pre-Rig Truss Segment with Removable Rolling Base System BLACK
SKU: XT-PRERIG5FTBLK
