



Home > Products > ProX Stands > Fantek® Lifting Towers >> 992 lbs Max Load 26 ft Height Compact Front Loading Lifting Line Array Systems speaker tower w/ adapter FANTEK Spain

SKU: XTF-FT8045

Permalink:

[Search on Google](#)

## 992 lbs Max Load 26 ft Height Compact Front Loading Lifting Line Array Systems speaker tower w/ adapter FANTEK Spain

[Find A Dealer](#)

### Product Images



[Download Product Images](#)

### Our Products And You

[Submit your story](#)

### ProX XTF-FT8045 992 lbs Max Load 26 ft Height Compact Front Loading Lifting Line Array Systems speaker tower w/ adapter FANTEK Spain

#### Description

992 lbs Max Load 26 ft Height Compact Front Loading Lifting Line Array Systems speaker tower w/ adapter FANTEK Spain

The **ProX XTF-FT8045** made by **FANTEK®** Valencia Spain Lifting Tower is Front Loading and allows raising the load from the floor, avoiding any single effort and specially designed for a reliable lifting of Line Array Systems of up to 450 kg (992 lbs) to a maximum height of **8 meters / 26.4 Ft**. This product is perfect to fly line array systems, trusses and LED screens. The compact design with castors gives the XTF-FT8045 Rigging tower easy handling and maneuverability, reducing storage space and it is the ideal solution for touring, rental and event production (concerts, events, trade fair stands, stage construction, fitting-out discos, theaters, broadcasting, TV, etc.). This Compact model is only 6.56ft (2 m) folded height.

Front loading lifting tower with a maximum height of 8 meters capable of lifting up to 450 Kg in its normal operating mode and 700 Kg in its structural mode. Its Dynamic Overlap system allows the forces to be correctly distributed over the profiles, thus increasing their resistance and reducing deflection.

Maximum load: 992lbs / 450 KG  
Folded Height: 6.56 FT / 2 M  
Maximum Height: 26.24 feet / 8 M  
Weight: 600 lbs / 272 KG


These Patented Dynamic Overlap® stacking trusses (5 Masts) are manufactured with extruded aluminum (Alloy: EN-AW according to 6082 T6) and TIG welded by Certified Welders for maximum safety, are specially designed to be compact when folded, reducing storage space and making it easier to handle. FANTEK® towers use a reinforced steel base with outriggers that support heavy loads and high heights.

During lifting, the tower telescopic mechanism lift can stop safely at any of the Pin Locking System positions. These pins take the load off the wire rope. Additionally, the DYNOSYS® is a system designed to guarantee the "health" and good operation of the tower. since it accomplishes many functions. all focused on maximizing user safety. Each Dynosys system is adjusted to

control the torque that is applied on the winch and, when this is exceeded, the system acts and does not allow to continue the lifting process. The WIREDRIVE® is a multidirectional grooved pulley that reduces the wire angle between the winch drum and its entry to the first mast. The steel base provides great stability when the adjustable screw-jacks are well balanced and the bubble level on the base provides accurate leveling. Always secure loads at a locking point and never on the winch alone!

Use with:

- [XTF-ATF1DS](#) Reversible Truss Adapter



#### Features

- **Design to fly line array systems, trussing and LED screens**
- **Made of quality components to ensure maximum safety**
- **Raise the load from the floor.**
- **CE - DGUV V17/18 Certified Compliant**
- **XT-FT8045 is Made by Fantek® in Valencia Spain.**
- **Maximum load: 992lbs / 450 KG**
- **Folded Height: 6.56 FT / 2 M**
- **Maximum Height: 26.24 feet / 8 M**
- **Weight: 600 lbs / 272 KG**
- **Winch - 900 kg / 1984.16 lbs**
- **Steel Loading Forks - 600 mm / 23.62 Inches**

**DGUV** is a 3rd Party Certification Body and provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality. **CE** marking is a certification mark that indicates conformity with health, safety, and environmental protection standards for products sold/manufactured within the European Economic Area (EEA).

FANTEK® was founded in 1940 and with a major expansion in 1984 and with many years of experience is the manufacturer of lifting towers in Valencia Spain, offers innovative high-end quality, reliable and efficient products to all customers worldwide. ProX Live Performance Gear is the only distributor of Fantec® Lifting Towers in the USA. The XT-FT6033 Meets strict European standards. Certified to current standards [CE - DGUV].

#### Exterior Dimensions & Weight

315.00"H x 31.00"W x 24.00"L - Weight: 600.00 lbs

**Suggested Shipping Method: LTL**

#### UPC

804589615477

#### Our Products and You

Submit your  
story

#### Commonly Asked Questions

Ask a question

---

Customer Testimonials

What did you think

---

Related Products



**FANTEK Spain Compact Front Loading Lifting Line Array Systems Tower 992 lbs Cap  
Max Height 22ft Incl Line Array Adapter**

SKU: XTF-FT7045



**FANTEK Spain Compact Front Loading Lifting Line Array Systems Tower 728 lbs Cap  
Max Height 19.52ft Incl Line Array Adapter**

SKU: XTF-FT6033



**FANTEK Spain Compact Front Loading Lifting Line Array Systems Tower 518 lbs Cap  
Max Height 16 ft Incl Line Array Adapter**

SKU: XTF-FT5323

---