



Home > Products > ProX Truss > BoltX™ 12" Professional Bolt Segments 3mm > BoltX™ Accessories , Hinges > Center Pivot Hinge Bolted Truss variable corner Articulating Block

SKU: XT-BT12PVT

Permalink: <http://www.proxdir.com/xt-bt12pvt>

[Search on Google](#)

## Center Pivot Hinge Bolted Truss variable corner Articulating Block

[Find A Dealer](#)

### Product Images



[Download Product Images](#)

### Our Products And You

Submit your  
story

### XT-BT12PVT Center Pivot Hinge Bolted Truss variable corner Articulating Block

#### Description

The ProX **XT-BT12PVT Center Pivot Hinge** horizontal variable corner Articulating Block from the most trusted staging support systems in the industry and is built to the highest standards of safety and performance. It's a rugged yet lightweight trussing solution perfect for mobile DJs, bands, outdoor performances, nightclubs, live mobile productions, or permanent installations.

It adjusts from **0° to 180°** and fits ProX 12" **BoltX™** Bolted Truss Segments. Manufactured from high-grade and lightweight aluminum which is easy for transportation and setup! This product can provide a universal solution for truss angles. There is a built-in adjustable arm to lock the desired angle between sections of the truss for unique builds. The superior construction quality of ProX trussing products guarantees many years of trouble-free use.

\*ProX Truss products utilize industry-standard dimensions to be compatible to connect to/with many other manufacturers trussing.

#### Features

- **12" H x 12" W Professional Box Truss W/Bolt Connection.**
- **Industry Standard Bolt Pattern 6 3/4" x 6 3/4" with 5/8" Holes**
- **Load Tested & Inspected During Manufacturing and Quality Control**
- **Includes one set of Four 5/8" - 11 x 2.5" (NC) attachment bolts, nuts, flat & lock washers.**
- **Compatible with most other 12" Professional Box Truss Manufacturers**
- **Outer Tube Diameter of 2", Wall Thickness 3mm (1/8"), Diagonal 1", Wall of 3mm (1/8"),**
- **Welded to TÜV standards, 6082-T6 Alloy by GSI SLV-certified welders**

#### Shipping Dimensions & Weight

**Box 1 of 1:** 13.00"H x 15.00"W x 26.00"L - Shipping Weight: 32.00 lbs

**Suggested Shipping Method: Parcel**

#### UPC

804589612360

## Our Products and You

Submit your  
story

## Commonly Asked Questions


+ Where can I buy one?

[submit a question](#)

## Customer Testimonials

What did you think

## Related Products




### **8 Ft. BoltX Bolted 12 Inch Professional Box Truss Segment | 3mm Wall**

SKU: XT-BT1208




### **8 Ft. BoltX Black Bolted 12 Inch Professional Box Truss Segment | 3mm Wall – Black Finish**

SKU: XT-BT1208 BLK



### **BoltX 6 Way Block Bolted Professional Box Truss**

SKU: XT-BT12-6W



### **BoltX 24 inch Steel Aluminum Base Plate, Top Plate on a 1 inch Raised Frame for Bolted Box Truss**

SKU: XT-BTBP24A



### **30 Inch Aluminum BoltX Base Plate, Top Plate on a 1 inch Raised Frame for Standard 12-16 Inch Bolted or F34 Box Truss**

SKU: XT-BTBP30A

