



Home > Products > ProX Truss > Mounting Accessories > Dual Clamp Moving Head | Light Mounting Plate

SKU: XT-DCMP12

This product is discontinued

Dual Clamp Moving Head | Light Mounting Plate

Product Images



[Download Product Images](#)

Our Products And You

Submit your
story

ProX XT-DCMP12 Dual Clamp Moving Head/Light Mounting Plate

Description

An Exclusive Product from ProX (Design Copyright © 2018) The **ProX XT-DCMP12** F34/F32 Aluminum Lighting Mounting Plate is the perfect addition to your truss construction when you need to mount lights or other equipment on the chord of a truss. The ProX XT-DCMP12 is an **Exclusive Product from ProX** and will make your setup and tear downs much easier and safer.

Included with each plate is two clamps that allow for quick attachment and detachment of the mounting plate without tools. The plate comes with two elongated slots and a center hole for mounting virtually any light that you want to mount. It comes with all the necessary hardware to mount to the trussing. **Plates can be used in pairs for larger/heavier fixtures.**

ProX Truss is one of the most trusted staging support systems in the industry and is built to the highest standards of safety and performance. It's a rugged and durable trussing solution perfect for live outdoor productions, nightclubs, and permanent installations. ProX XT Series Truss compares favorably to the other major trussing manufacturers. We manufacture with EN-AWT6 6082 Aluminum for safety and strength. Our XT series F34 square truss utilizes a standard conical connector system, which easily mates with other brands of the truss of the same size and connector type, and is available in a variety of lengths to suit your designs -- while our outstanding quality control and manufacturing techniques assure excellent fitment at every connection. ProX offers a wide variety of corners, base plates, connectors and accessories that add stability while expanding on limitless design configurations.

At the heart of the system is square truss that utilizes a standard conical connector system, which easily mates with other brands of trussing of the same size and connector style, and is available in a variety of lengths to suit your designs. It also works with different types of corners, base plates, connectors and accessories that add stability while expanding on limitless configurations.

Always know your load weight for your equipment: [VERY IMPORTANT - CLICK HERE](#) for Truss Loading Chart.

XT-SQ SERIES DIMENSIONS:

- Height: 11.42in / 290mm
- Width: 11.42in / 290mm
- Weight: 21lb per 3.28 ft / 9.5kg per meter
- Main Tube: 2in / 50mm
- Wall Thickness: .08in / 2mm
- Braces: .75in / 20mm



Features

- **Manufactured in our Own Factory!**
- **ProX Exclusive Product**
- **Includes 2 Clamps Mounted to Plate**
- **Exclusive Product from ProX (Design Copyright © 2018)**

TUV Is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

Exterior Dimensions & Weight

4.50"H x 2.00"W x 14.00"L - Weight: 4.00 lbs

Shipping Dimensions & Weight

Box 1 of 1: 5.00"H x 2.50"W x 14.50"L - Shipping Weight: 5.00 lbs

Suggested Shipping Method: Parcel

UPC

019372410997

Our Products and You

Submit your
story

Commonly Asked Questions


+ Where can I buy one?

[submit a question](#)

Customer Testimonials

What did you think

Related Products




12" Aluminum 8mm Slotted Holes Truss Top Plate for F34 F32 F31 Conical Square Truss with Twist Locks and Connectors

SKU: XT-BP12AH



Adjustable Top Panel Point for Video Wall Truss Hanging Points

SKU: XT-TOPAPP



Universal 32" to 80" TV Bracket Clamp with Vesa Mounting Bracket for F34 F32 12" Bolt

SKU: XT-MEDIAMOUNT
