



Home > Products > ProX Truss > F32 Conical I-Beam Segments 2mm > , Blocks, Corners & Junctions > > F32 6 Way Universal Box Junction | 3mm Wall

SKU: XT-F32JBOX

Permalink:

[Search on Google](#)

F32 6 Way Universal Box Junction | 3mm Wall

[Find A Dealer](#)

Product Images



[Download Product Images](#)

Our Products And You

Submit your
story

ProX XT-F32JBOX F32 6 Way Universal Box Junction | 3mm Wall

Description

The **ProX XT-F32JBOX | 3mm Wall** TÜV tested truss connector box in 2-point design, is particularly well suited for trade shows and shop construction, as well as event technology.

ProX Truss has the most trusted staging support systems in the industry and is built to the highest standards of safety and performance. It's a rugged yet lightweight trussing solution perfect for mobile DJs, bands, outdoor performances, nightclubs, live mobile productions, or permanent installations.

At the heart of the system is a flat truss that utilizes a standard conical connector system, which easily mates with other brands of truss of the same size and connector style, and is available in a variety of lengths to suit your designs. It also works with different types of corners, base plates, connectors and accessories that add stability while expanding on limitless configurations.

Always know your load weight for your equipment: [VERY IMPORTANT - CLICK HERE for Truss Loading Chart.](#)

- Tolerance Free Standard Conical connector
- Main tube wall thickness of .11in (3mm)



XT-F32 SERIES DIMENSIONS:

- Width: 11.42in / 290mm
- Height: 11.42in / 290mm
- Main Tube: 2in / 50mm
- Wall Thickness: .11in / 3mm
- Braces: .75in / 20mm

ProX Truss products utilize industry standard dimensions to be compatible to connect to/with many other manufacturers trussing

...ing.

Features

- **6 Way Connecting Points**
- **Manufactured in our Own Factory!**
- **Material: EN-AWT6 6082 Aluminum**
- **3mm Tube Wall**
- **TUV Certified Aluminium Welding**
- **No connecting hardware included**



TUV Is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

Shipping Dimensions & Weight

Box 1 of 1: 3.00"H x 12.00"W x 12.00"L - Shipping Weight: 6.00 lbs

Suggested Shipping Method: Parcel

UPC

019372409649

Our Products and You

Submit your story

Commonly Asked Questions


+ Where can I buy one?

[submit a question](#)

Customer Testimonials

What did you think

Related Products



[6.56 Foot - 2M F31 Single Tube Truss Segment | 2mm Wall](#)

SKU: XT-S656



[6.56ft - 2.0m F31 Wave Single Pipe 6.56ft - 2.0m 4 Pack | Plates-Covers Not Included](#)

SKU: XT-WAVE656



[Truss Junction Box Connector Pack for One Side](#)

SKU: XT-CP-103P

