

**Our office is closed on Monday April 29th & Tuesday April 30th for Passover**



Home > Products > ProX Truss > Roofing Systems > Stage Roofing Packages > LED Screen Display Panel Video Fly Wall Truss Ground Support System 30'W x 23'H with Hoist

SKU: XTP-GS3023

Permalink:

[Search on Google](#)

## LED Screen Display Panel Video Fly Wall Truss Ground Support System 30'W x 23'H with Hoist

[Find A Dealer](#)

### Product Images



[Download Product Images](#)

### Our Products And You



[submit your story](#)

### ProX XTP-GS3023 LED Screen Display Panel Video Fly Wall Truss Ground Support System 30W x 23H Ft with Hoist

#### Description

ProX XTP-GS3023 LED Screen Display Panel Video Fly Wall Truss Ground Support System 30W x 23H Ft with Hoist. The ProX XTP-GS3023 LED Panel Support System package measures 30'W x 23'H and is constructed using our heavy-duty Aluminum XT truss, combined with our modular ground support towers and the GSBPACK3 Lift System. (LED WALL NOT INCLUDED) The ProX XT-SQ Series Truss is one of the most trusted staging support systems in the industry, built to the highest standards of safety and performance. It's a rugged and durable trussing solution, perfect for live outdoor productions, nightclubs, and permanent installations. The ProX XT Series Truss compares favorably to other major trussing manufacturers. We manufacture it with EN-AWT6 6082 Aluminum for safety and strength.

Our XT series F34 square truss utilizes a standard conical connector system, which easily connects with other brands of trusses of the same size and connector type. It is available in various lengths to suit your designs. Our outstanding quality control and manufacturing techniques ensure excellent fitment at every connection. ProX offers a wide variety of corners, base plates, connectors, and accessories that enhance stability while providing limitless design configurations.

Always know your load weight for your equipment: [VERY IMPORTANT - CLICK HERE](#) for Truss Loading Chart.

- Tolerance Free Standard Conical connector
- Main tube wall thickness of .08in

#### XT-SQ Series Specifications:

- Height: 11.42in / 290mm
- Width: 11.42in / 290mm
- Weight: 21lb per 3.28 ft / 9,5kg per meter
- Main Tube: 2in / 50mm
- Wall Thickness: .08in / 2mm
- Braces: .75in / 20mm

Includes:

2 XTP-GSBPACK3 Truss Tower Lift Systems,

7 XT-SQ984 9.84ft (3.00m) Square Truss Segment With Connecting Hardware

1 XT-MCH1TX2-30FT Sets of 2 1T Manual Chain Stage Hoist with 30ft Chain,

---

## Features



TUV is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

- **Manufactured in our Own Factory!**
- **Material: EN-AWT6 6082 Aluminum**
- **TUV Certified Aluminium Welding**

ProX Truss products utilize industry-standard dimensions to be compatible to connect to/with many other manufacturers F34 trussing products.

---

## Package Contents

- [XT-SQ984](#) (7) 9.84 Ft - 3.00 M F34 Square Truss Segment | 2 mm Wall
- [XT-MCH1TX2-30FT](#) (1) Pair 1 Ton Manual Chain Hoist with 30 Ft (9 M) Chain for Stage Truss roof system and line array speakers
- [XT-BLOCK-MK2](#) (2) Ground Support Sleeve Block for F34 Truss Segment Systems
- [XT-TOPCM](#) (2) Top Truss Section for Electric Motor or Manual Chain Hoist
- [XT-HINGE](#) (8) Conical Tube Ground Support Post towers Male to Male Hinge Joint Fits F31 F32 F34
- [XT-GSB MK3](#) (2) Universal Vertical Tower Truss Ground Support Base on Wheels with Leveling Jacks for F34, F44 and 12" Bolt truss
- [XT-SQ328](#) (2) 3.28 Ft - 1.00 M F34 Square Truss Segment | 2 mm Wall
- [XT-GSOOTS3](#) (8) Single 3 Ft. Outrigger Support Brace for Leveling Ground Support Truss Tower Base

---

## Exterior Dimensions & Weight

**XT-GSOOTS3 (8):** 64.00"H x 2.00"W x 37.50"L - Weight: 29.00 lbs

**XT-SQ328 (2):** 39.36"H x 11.42"W x 11.42"L - Weight: 19.00 lbs

**XT-TOPCM (2):** 11.50"H x 9.50"W x 24.00"L - Weight: 26.40 lbs

**XT-BLOCK-MK2 (2):** 18.50"H x 22.50"W x 22.50"L - Weight: 77.30 lbs

**XT-SQ984 (7):** 118.08"H x 12.00"W x 12.00"L - Weight: 42.00 lbs

## Shipping Dimensions & Weight

**Box 1 of 8:** XT-GSOOTS3 (8 boxes) 6.00"H x 8.00"W x 64.00"L - Shipping Weight: 34.00 lbs

**Box 2 of 8:** XT-SQ328 (2 boxes) 41.50"H x 12.50"W x 12.50"L - Shipping Weight: 21.00 lbs

**Box 3 of 8:** XT-GSB MK3 (2 boxes) 9.00"H x 29.00"W x 29.00"L - Shipping Weight: 70.00 lbs

**Box 4 of 8:** XT-HINGE (8 boxes) 2.00"H x 5.00"W x 5.00"L - Shipping Weight: 2.50 lbs

**Box 5 of 8:** XT-TOPCM (2 boxes) 12.00"H x 10.00"W x 25.00"L - Shipping Weight: 28.00 lbs

**Box 6 of 8:** XT-BLOCK-MK2 (2 boxes) 20.00"H x 24.00"W x 24.00"L - Shipping Weight: 80.00 lbs

**Box 7 of 8:** XT-MCH1TX2-30FT 11.00"H x 19.00"W x 15.00"L - Shipping Weight: 104.00 lbs

**Box 8 of 8:** XT-SQ984 (7 boxes) 14.00"H x 14.00"W x 120.00"L - Shipping Weight: 46.00 lbs

**Suggested Shipping Method: LTL**

## UPC

019372414315

---

## Our Products and You

Submit your  
story



---

### Commonly Asked Questions

+ Where can I buy one?

[submit a question](#)

---

### Customer Testimonials

What did you think

---