



Home > Products > ProX Truss > Ground Support >> PRO Truss Tower Stage Lift System Package -Top Block | Hinges | Base | Outriggers and 3.28 Ft. 3 mm Ladder Truss Segment

SKU: XTP-GSBPACK3 PRO

Permalink:

[Search on Google](#)

PRO Truss Tower Stage Lift System Package -Top Block | Hinges | Base | Outriggers and 3.28 Ft. 3 mm Ladder Truss Segment

[Find A Dealer](#)

Product Images



[Download Product Images](#)

Our Products And You

Submit your story

ProX XTP-GSBPACK3 PRO Truss Tower Stage Lift System Package -Top Block | Hinges | Base | Outriggers and 3.28 Ft. 3 mm Ladder Truss Segment

Description

The **ProX XTP-GSBPACK3 PRO** is a Full Package of four-legged outrigger Truss base, with a 4-way Square Truss junction box Sleeve Block, on a **3' Ladder Truss Segment** (3mm Wall). Complete with the Rigging Top. In this package, you have everything you need (**except for lift hoist**) for one climbable leg in the building and flying of a large scale truss, supporting mid to heavy-grade level stage installations. You get:

- [XT-GSB MK2](#) Rigger Base, with Extendable Feet
- [XT-SQPL328](#) 3.28ft Long **LADDER** Truss segment (Longer segments available at extra cost)
- [XT-GSOUT3](#) 3' Outrigger Brace Tubes (4) with clamps
- [XT-BLOCK](#) Sleeve Block 4-Way Junction box
- [XT-TOPCM](#) Truss Top with I-Beam mount with chain Pulley wheels
- [XT-HINGE](#) 4 Hinge block set
- **(Lift Hoist NOT included)**

ProX XT-SQPL series trussing is a rugged and durable truss solution perfect for live outdoor or indoor productions, exhibitions, retail displays as well as nightclubs, and other permanent installations **where easy to climb corners are needed**. ProX also manufactures a comprehensive selection of [trussing accessories](#) including [clamps](#), hanging & lifting points, spacers, box corners, mounting poles, [base/top plates](#) and much more to complete your ideas and make your design an impressive rigging project or a simple show booth. Always consult an engineer for complex designs!

Features

ProX Trussing provides high strength with exceptional quality control and excellent value.

- **Manufactured to Exacting Specifications in our Own Factory!**
- **Built to exacting specifications**
- **TÜV Certified Welding**
- **Compatible with most Conical Coupled trussing**

- Includes tapered shear pins with clips

XT-SQPL SERIES DIMENSIONS:

- Height: 11.42in / 290mm
- Width: 11.42in / 290mm
- Weight: 21lb/9.5kg per 3.28 ft/1 meter
- Main Tube: 2in / 50mm
- Premium Tubing - Wall Thickness: 1/8in / 3mm
- Braces: .75in / 20mm
- Ladder Steps 2in / 50mm
- Ladder Step Spacing: 9.84in / 250mm
- Material: EN-AWT6 6082 Aluminum
- TÜV Certified Aluminium Welding



TÜV Rheinland® is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TÜV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

ProX Truss products utilize industry-standard dimensions to be compatible to connect to, and work with, many other manufacturers F31/F32/F34 trussing products with conical connectors.

Package Contents

- [XT-TOPCM](#) (1) Top Truss Section for Electric Motor or Manual Chain Hoist
- [XT-BLOCK-MK2](#) (1) Ground Support Sleeve Block for F34 Truss Segment Systems
- [XT-HINGE](#) (4) Conical Tube Ground Support Post towers Male to Male Hinge Joint Fits F31 F32 F34
- [XT-GSB MK3](#) (1) Universal Vertical Tower Truss Ground Support Base on Wheels with Leveling Jacks for F34, F44 and 12" Bolt truss
- [XT-GSOUTS3](#) (4) Single 3 Ft. Outrigger Support Brace for Leveling Ground Support Truss Tower Base
- [XT-SQPL328](#) (1) 3.28 FT 1M F34 Professional Ladder Truss Segment 3mm Tubing

Exterior Dimensions & Weight

XT-SQPL328 (1) 11.50"H x 11.50"W x 39.36"L - Weight: 23.00 lbs
XT-GSOUTS3 (4) 64.00"H x 2.00"W x 37.50"L - Weight: 29.00 lbs
XT-BLOCK-MK2 (1) 18.50"H x 22.50"W x 22.50"L - Weight: 77.30 lbs
XT-TOPCM (1) 11.50"H x 9.50"W x 24.00"L - Weight: 26.40 lbs

Shipping Dimensions & Weight

Box 1 of 6: XT-SQPL328 13.00"H x 13.00"W x 40.00"L - Shipping Weight: 25.00 lbs
Box 2 of 6: XT-GSOUTS3 (4 boxes) 6.00"H x 8.00"W x 64.00"L - Shipping Weight: 34.00 lbs
Box 3 of 6: XT-GSB MK3 9.00"H x 29.00"W x 29.00"L - Shipping Weight: 70.00 lbs
Box 4 of 6: XT-HINGE (4 boxes) 2.00"H x 5.00"W x 5.00"L - Shipping Weight: 2.50 lbs
Box 5 of 6: XT-BLOCK-MK2 20.00"H x 24.00"W x 24.00"L - Shipping Weight: 80.00 lbs
Box 6 of 6: XT-TOPCM 12.00"H x 10.00"W x 25.00"L - Shipping Weight: 28.00 lbs

Suggested Shipping Method: LTL

UPC

019372413622

Our Products and You

Submit your

Commonly Asked Questions

+ Where can I buy one?

[submit a question](#)

Customer Testimonials

What did you think

Related Products




Truss Tower Stage Roofing System Package

SKU: XTP-GSBPACK164



Truss Tower Stage Roofing System Package -Top Block | Hinges | Base | Outriggers and 3.28 Ft. 2 mm Wall Truss Segment

SKU: XTP-GSBPACK3



3.28 FT 1M F34 Professional Ladder Truss Segment 3mm Tubing

SKU: XT-SQPL328



8.20 FT F34 2.5M Professional Ladder Truss Segment 3mm Tubing

SKU: XT-SQPL820



9.84 FT 3M F34 Professional Ladder Truss Segment 3mm Tubing

SKU: XT-SQPL984

Show More