

**Our office is closed on Monday April 29th & Tuesday April 30th for Passover**



Home > Products > ProX Truss > Roofing Systems > Stage Roofing Packages > Stage Flat Roofing System Package With 4 Chain Hoists | 30 Ft W x 20 Ft L x 23 Ft H

SKU: XTP-GS302023

Permalink:

[Search on Google](#)

## Stage Flat Roofing System Package With 4 Chain Hoists | 30 Ft W x 20 Ft L x 23 Ft H

[Find A Dealer](#)

### Product Images



[Download Product Images](#)

### Our Products And You

Submit your story

### ProX XTP-GS302023 Stage Flat Roofing System Package With 4 Chain Hoists | 30 Ft W x 20 Ft L x 23 Ft H

#### Description

- 18 Pcs [XT-SQ984](#) 9.84 Ft Truss Segment
- 4 Pcs [XT-SQ328](#) 3.28 Ft Truss Segment
- 4 Pcs [XT-GSB MK2](#) Rigger Base, with extending legs
- 16 Pcs [XT-GSOUT3](#) 3' Outrigger Brace Tubes with clamps
- 4 Pcs [XT-BLOCK](#) Sleeve Block 4-Way Junction box
- 4 Pcs [XT-TOPCM](#) Truss Top with I-Beam mount with chain Pulley wheels
- 16 Pcs [XT-HINGE](#) Hinge block set
- 2 Sets [XT-MCH1TX2-30FT](#) Pair of 1 Ton Manual Chain Hoists W/30 Ft (9 M) Chain

ProX XT-SQ series trussing is a rugged and durable trussing package solution. Perfect for live outdoor or indoor productions, exhibitions, as well as nightclubs, and other permanent installations. **ProX Live Performance Gear®** offers a wide variety of [single tubes](#), [mounting plates](#), [clamps](#) and [accessories](#) that allow limitless design configurations to suit your needs. Always consult an engineer for complex designs!

#### ProX XT-SQF34 2MM SERIES DIMENSIONS:

- Height: 11.42in / 290mm
- Width: 11.42in / 290mm
- Weight: 21lb/9,5kg per 3.28 ft / 1 meter
- Main Tube: 2in / 50mm
- Wall Thickness: .08in / 2mm
- Braces: .75in / 20mm

**IMPORTANT:** Always know your load weight for your equipment: [XT-SQ Truss Loading Chart](#)

#### Features

- **Manufactured to Exacting Specifications in our Own Factory!**
- **Tolerance Free Standard Conical Connectors**
- **Truss Main Tube Wall Thickness of .08in / 2mm**

- **Load Capacity is 1 Ton (2000 lbs) per corner lift unit (4 tons total weight including truss)**
- **Material: EN-AWT6 6082 Aluminum and Welded Steel (Painted Black)**
- **TUV Certified Aluminium/Steel Welding**



TUV is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

**ProX Truss products utilize industry standard dimensions to be compatible to connect to/ and work with many other manufacturers' F34 trussing products with conical connectors.**

#### Package Contents

- [XT-SQ984](#) (18) 9.84 Ft - 3.00 M F34 Square Truss Segment | 2 mm Wall
- [XT-TOPCM](#) (4) Top Truss Section for Electric Motor or Manual Chain Hoist
- [XT-BLOCK-MK2](#) (4) Ground Support Sleeve Block for F34 Truss Segment Systems
- [XT-HINGE](#) (16) Conical Tube Ground Support Post towers Male to Male Hinge Joint Fits F31 F32 F34
- [XT-SQ328](#) (4) 3.28 Ft - 1.00 M F34 Square Truss Segment | 2 mm Wall
- [XT-GSB MK3](#) (4) Universal Vertical Tower Truss Ground Support Base on Wheels with Leveling Jacks for F34, F44 and 12" Bolt truss
- [XT-GSOUTS3](#) (16) Single 3 Ft. Outrigger Support Brace for Leveling Ground Support Truss Tower Base
- [XT-MCH1TX2-30FT](#) (2) Pair 1 Ton Manual Chain Hoist with 30 Ft (9 M) Chain for Stage Truss roof system and line array speakers

#### Exterior Dimensions & Weight

**XT-GSOUTS3 (16):** 64.00"H x 2.00"W x 37.50"L - Weight: 29.00 lbs

**XT-SQ328 (4):** 39.36"H x 11.42"W x 11.42"L - Weight: 19.00 lbs

**XT-BLOCK-MK2 (4):** 18.50"H x 22.50"W x 22.50"L - Weight: 77.30 lbs

**XT-TOPCM (4):** 11.50"H x 9.50"W x 24.00"L - Weight: 26.40 lbs

**XT-SQ984 (18):** 118.08"H x 12.00"W x 12.00"L - Weight: 42.00 lbs

#### Shipping Dimensions & Weight

**Box 1 of 8:** XT-MCH1TX2-30FT (2 boxes) 11.00"H x 19.00"W x 15.00"L - Shipping Weight: 104.00 lbs

**Box 2 of 8:** XT-GSOUTS3 (16 boxes) 6.00"H x 8.00"W x 64.00"L - Shipping Weight: 34.00 lbs

**Box 3 of 8:** XT-GSB MK3 (4 boxes) 9.00"H x 29.00"W x 29.00"L - Shipping Weight: 70.00 lbs

**Box 4 of 8:** XT-SQ328 (4 boxes) 41.50"H x 12.50"W x 12.50"L - Shipping Weight: 21.00 lbs

**Box 5 of 8:** XT-HINGE (16 boxes) 2.00"H x 5.00"W x 5.00"L - Shipping Weight: 2.50 lbs

**Box 6 of 8:** XT-BLOCK-MK2 (4 boxes) 20.00"H x 24.00"W x 24.00"L - Shipping Weight: 80.00 lbs

**Box 7 of 8:** XT-TOPCM (4 boxes) 12.00"H x 10.00"W x 25.00"L - Shipping Weight: 28.00 lbs

**Box 8 of 8:** XT-SQ984 (18 boxes) 14.00"H x 14.00"W x 120.00"L - Shipping Weight: 46.00 lbs

**Suggested Shipping Method: LTL**

#### UPC

804589616290

#### Our Products and You

Submit your story

#### Commonly Asked Questions

+ Where can I buy one?


[submit a question](#)

#### Customer Testimonials

What did you think

#### Related Products

[Flat Stage Roofing System with 7 Ft Speaker Wings and 6 Chain Hoists | 30 Ft W x 20 Ft L](#)



**x 23 Ft H**

SKU: XTP-GS302023SPW



**F34 Stage Roofing Truss System with Ground Support and Chain Hoists – 20x20x23 Ft.**

SKU: XTP-GS202023



**Flat Stage Roofing System with 7 Ft Speaker Wings and 6 Chain Hoists | 20 Ft W x 20 Ft L x 23 Ft H**

SKU: XTP-GS202023SPW



**Stage Roofing System 30'W x 30'L x 23'H - Incl 4 Chain Hoist**

SKU: XTP-GS303023



**LED Screen Display Panel Video Fly Wall Truss Ground Support System 30'W x 23'H with Hoist**

SKU: XTP-GS3023

Show More