



Home > Products > ProX Truss > Modular Rapid U Grid > Truss Modular 2X Rapid U Grid Dual Package for Lighting - Moving Heads W-Rolling Aluminum Baseplate

SKU: XT-GRU-PKGX2

Permalink:

[Search on Google](#)

## Truss Modular 2X Rapid U Grid Dual Package for Lighting - Moving Heads W-Rolling Aluminum Baseplate

[Find A Dealer](#)

### Product Images



[Download Product Images](#)

### Our Products And You

[Submit your story](#)

### ProX XT-GRU-PKGX2 Truss Modular 2X Rapid U Grid Dual Package for Lighting - Moving Heads W-Rolling Aluminum Baseplate

#### Description

The **ProX XT-GRU-PKGX2** makes building a modular lighting grid for moving heads or other entertainment lighting, that is expandable up to 10 U modules is easy to achieve with the XT-GRU-PKGX3. The ProX grid package includes the beginning parts needed to mount move and store moving head fixtures for stages or performance areas.

The XT-GRU3024 grid units allow for grid configurations tailored to your needs. You can hang up to 10 grids beneath each other for custom layouts. The hanging frames are built from durable EN-AWT6 6082 aluminum frames and each grid will fit small to medium-sized moving-head lights. The rolling baseplate is constructed from 10mm AWT6 6082 Aluminum Plate with handle cutouts and multiple drilled stud mounting holes for versatility. The baseplate is designed to work with the XT-GRU3024 grid units but can also be configured to work with F34 trussing products as well. The baseplate casters allow for easy moving of the XT-GRU-PKGX3 from the truck to venue to stage with minimal effort and protection for your lighting devices.

The XT-GRU3024 Rapid Grid™ modular design allows endless configurations for single fixtures, double hanging or ladders of multiple fixtures, which can also be expanded to create a wall of hanging positions. Each U module has two safety point attachments, one on each side for use with multiple styles of fixtures. The **ProX GRU Rapid Grid™ System** has been designed for quick deployment and takedown in any environment. The lightweight yet strong aluminum construction is additionally reinforced to provide added stability and safety.

Easily expand the configurations of the ProX GRU Rapid Grid™ System by utilizing the standard ProX Truss F31 selection of single tube 2" pipes, T sections, spigots, or corner adapters. These products all will fit into the GRU system which allows you to create hanging structures in an unlimited amount of designs for lighting utility.



**TUV is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.**

ProX Truss products utilize industry standard dimensions to be compatible to connect to/with many other manufacturers trussing products with conical connectors.

### Features

- Download the **ProX Truss/Rigging Safety Guide**
- Based on the **XT-GRU3024 Rapid Grid™ Unit**
- Single Grid Dimensions: **23.6" x 28.6" x 2" Tube O.D.**

- **Single Grid Dimensions: 23.0" X 23.0" X 2" Tube O.D.**
- **Load Capacity up to 110 lbs. Per Segment**
- **2 U Segment W/Hangar Weight: 12 lbs. (Less baseplate)**
- **Manufactured in our Own Factory!**
- **Material: EN-AWT6 6082 Aluminum**
- **0.08" (2mm) Wall Thickness**
- **TUV Certified Aluminium Welding**
- **Includes Connecting Hardware**

---

#### Package Contents

- [XT-GRTOP24](#) (1) 24" Width Module Top Bar for ProX XT-GRU Rapid Grid Modular System
- [XT-GRU3024](#) (2) 30 x 24 in. U Shape Module for ProX XT-GRU Rapid Grid Modular System
- [XT-BP2430W](#) (1) 24 x 30 in. Module Base Plate with Locking Casters for ProX XT-GRU Rapid Grid Modular System

---

#### Exterior Dimensions & Weight

**XT-BP2430W (1):** 6.00"H x 24.00"W x 37.00"L - Weight: 38.00 lbs

#### Shipping Dimensions & Weight

**Box 1 of 3:** XT-BP2430W 7.00"H x 25.00"W x 38.00"L - Shipping Weight: 40.00 lbs

**Box 2 of 3:** XT-GRU3024 (2 boxes) 6.00"H x 25.00"W x 32.00"L - Shipping Weight: 23.00 lbs

**Box 3 of 3:** XT-GRTOP24 3.00"H x 24.00"W x 5.00"L - Shipping Weight: 5.00 lbs

**Suggested Shipping Method: Parcel**

#### UPC

019372414407

---

#### Our Products and You

Submit your story

---

#### Commonly Asked Questions

+ Where can I buy one?

[submit a question](#)

---

#### Customer Testimonials

What did you think

---

#### Related Products



**[Truss Modular 3X Rapid U Grid Trio Package for Lighting - Moving Heads W-Rolling Aluminum Baseplate](#)**

SKU: XT-GRU-PKGX3



**[24" Width Module Top Bar for ProX XT-GRU Rapid Grid Modular System](#)**


SKU: XT-GRTOP24



**30 x 24 in. U Shape Module for ProX XT-GRU Rapid Grid Modular System**  
SKU: XT-GRU3024



**XT-SJB-2W Single Junction Box Includes 2 Sided Connecting Hardware for F34 F33 F32 F31 Truss**  
SKU: XT-SJB-2W



**Set of (4) Double Sided Conical Couplers with connectors and pins**  
SKU: XT-CP-PAC3 Pack

Show More