

Our office is closed on Monday April 29th & Tuesday April 30th for Passover

Home > Products > ProX Truss > F34 Conical Segments 2mm > Straight Segments , Ground Support > > Truss Tower Stage Roofing System Package

SKU: XTP-GSBPACK164

Permalink: [Search on Google](#)

Truss Tower Stage Roofing System Package

[Find A Dealer](#)

Product Images

[Download Product Images](#)

Our Products And You

[Submit your story](#)

ProX XTP-GSBPACK164 Truss Tower Stage Roofing System Package -Top Block | Hinges | Base | Outriggers and 1.64 Ft. 2 mm Wall Truss Segment

Description

The **ProX XTP-GSBPACK164** is a Full Package of four-legged outrigger Truss base, with a 4-way Square Truss junction box Sleeve Block, on a 1.64' long square Truss. Complete with the Rigging Top. In this package, you have everything you need (**except for lift hoist**) for one complete leg in the building and flying a large scale truss, supporting mid to heavy-grade level stage installations. You get:

- [XT-GSB MK2](#) Rigger Base, with extending legs
- [XT-SQ164](#) 1.64 ft Long Truss segment (Longer segments available separately)
- [XT-GSQOUT3](#) 3' Outrigger Brace Tubes (4) with clamps
- [XT-BLOCK](#) Sleeve Block 4-Way Junction box
- [XT-TOPCM](#) Truss Top with I-Beam mount with chain Pulley wheels
- [XT-HINGE](#) 4 Hinge block set
- **(Lift Hoist NOT included)**

ProX Trussing is a rugged and durable truss solution perfect for live outdoor or indoor productions, exhibitions, retail displays as well as nightclubs, and other permanent installations. **ProX** also manufactures a comprehensive selection of [trussing accessories](#) including [clamps](#), hanging & lifting points, spacers, box corners, mounting poles, [base/top plates](#) and much more to complete your ideas and make your design an impressive rigging project or a simple show booth. Always consult an engineer for complex designs!

ProX XT-SQF34 2MM SERIES DIMENSIONS:

- Height: 11.42in / 290mm
- Width: 11.42in / 290mm
- Weight: 21lb/9,5kg per 3.28 ft / 1 meter
- Main Tube: 2in / 50mm
- Wall Thickness: .08in / 2mm
- Braces: .75in / 20mm

IMPORTANT: Always know your load weight for your equipment: [XT-SQ Truss Loading Chart](#)

Features

- **Manufactured to Exacting Specifications in our Own Factory!**
- **Tolerance Free Standard Conical Connectors**
- **Truss Main Tube Wall Thickness of .08in / 2mm**
- **Load Capacity is 1 Ton (2000 lbs) per unit**
- **Material: EN-AWT6 6082 Aluminum and Welded Steel (Painted Black)**
- **TUV Certified Aluminium/Steel Welding**



TUV is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

ProX Truss products utilize industry-standard dimensions to be compatible to connect to/ and work with many other manufacturers' F34 trussing products with conical connectors.

Package Contents

- [XT-TOPCM](#) (1) Top Truss Section for Electric Motor or Manual Chain Hoist
- [XT-BLOCK-MK2](#) (1) Ground Support Sleeve Block for F34 Truss Segment Systems
- [XT-SQ164](#) (1) 1.64 Ft - 0.5 M F34 Square Truss Segment | 2 mm Wall
- [XT-GSB MK3](#) (1) Universal Vertical Tower Truss Ground Support Base on Wheels with Leveling Jacks for F34, F44 and 12" Bolt truss
- [XT-GSOUTS3](#) (4) Single 3 Ft. Outrigger Support Brace for Leveling Ground Support Truss Tower Base
- [XT-HINGE](#) (4) Conical Tube Ground Support Post towers Male to Male Hinge Joint Fits F31 F32 F34

Exterior Dimensions & Weight

XT-GSOUTS3 (4): 64.00"H x 2.00"W x 37.50"L - Weight: 29.00 lbs

XT-SQ164 (1): 19.68"H x 11.42"W x 11.42"L - Weight: 13.00 lbs

XT-BLOCK-MK2 (1): 18.50"H x 22.50"W x 22.50"L - Weight: 77.30 lbs

XT-TOPCM (1): 11.50"H x 9.50"W x 24.00"L - Weight: 26.40 lbs

Shipping Dimensions & Weight

Box 1 of 6: XT-HINGE (4 boxes) 2.00"H x 5.00"W x 5.00"L - Shipping Weight: 2.50 lbs

Box 2 of 6: XT-GSOUTS3 (4 boxes) 6.00"H x 8.00"W x 64.00"L - Shipping Weight: 34.00 lbs

Box 3 of 6: XT-GSB MK3 9.00"H x 29.00"W x 29.00"L - Shipping Weight: 70.00 lbs

Box 4 of 6: XT-SQ164 22.00"H x 14.00"W x 14.00"L - Shipping Weight: 15.00 lbs

Box 5 of 6: XT-BLOCK-MK2 20.00"H x 24.00"W x 24.00"L - Shipping Weight: 80.00 lbs

Box 6 of 6: XT-TOPCM 12.00"H x 10.00"W x 25.00"L - Shipping Weight: 28.00 lbs

Suggested Shipping Method: LTL

UPC

019372413639

Our Products and You

Submit your story

Commonly Asked Questions

+ Where can I buy one?

[submit a question](#)

Customer Testimonials

What did you think

Related Products

[Universal Vertical Tower Truss Ground Support Base on Wheels with Leveling Jacks for F34, F44, and 12" Bolt Truss](#)



F34, F44 and 12" Bolt truss

SKU: XT-GSB MK3



PRO Truss Tower Stage Lift System Package -Top Block | Hinges | Base | Outriggers and 3.28 Ft. 3 mm Ladder Truss Segment

SKU: XTP-GSBPACK3 PRO



Truss Tower Stage Roofing System Package -Top Block | Hinges | Base | Outriggers and 3.28 Ft. 2 mm Wall Truss Segment

SKU: XTP-GSBPACK3



Ground Support Stabilizer Base Package With Extendable Outriggers for F34 and F44

SKU: XT-GSBXPKG
