



Home > Products > ProX Truss > Ground Support > Ground Support Bases > Fits F34 , Fits F44 > Universal Vertical Tower Truss Ground Support Base on Wheels with Leveling Jacks for F34, F44 and 12" Bolt truss

SKU: XT-GSB MK3

Permalink: <http://www.proxdir.com/xt-gsb-mk3>

[Search on Google](#)

Universal Vertical Tower Truss Ground Support Base on Wheels with Leveling Jacks for F34, F44 and 12" Bolt truss

[Find A Dealer](#)

Product Images



[Download Product Images](#)

Our Products And You

Submit your
story

ProX XT-GSBMK3 Universal Vertical Tower Truss Ground Support Base on Wheels with Leveling Jacks for F34, F44 and 12" Bolt truss

Description

The **ProX Truss XT-GSBMK3** is a Universal Vertical Tower Truss Ground Support Base on Wheels with Leveling Jacks for F34, F44 and 12" Bolt truss. The ProX **XT-GSBMK3** is a suitable choice for DJ's, Exhibitions, and other Lightweight Applications with F34, F44 and 12" Bolted standard trussing when used without outriggers and no lifting capability. The unit has four leveling screws and 4 heavy-duty caster wheels for easy moving. Light duty usage only for DJs Expos and other Light Duty Use without outriggers

This unit has no outriggers! Do not overload as this can become a tripping hazard.

Features

- **Manufactured to Exacting Specifications in our Own Factory!**
- **Tolerance Free Standard Conical F34 and F44 Connectors included**
- **12" Box truss Bolts not included**
- **Black Painted Finish**
- **Leveling Screws in Captive Nuts**
- **4x Heavy Duty Casters**
- **Heavy-Duty Welded Steel Construction**
- **TUV Certified Steel Welding**
- **Assembly Required**



TUV is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

ProX Truss products utilize industry-standard dimensions to be compatible to connect to/ and work with many other manufacturers' F34 trussing products with conical connectors.

Shipping Dimensions & Weight

Box 1 of 1: 9.00"H x 29.00"W x 29.00"L - Shipping Weight: 70.00 lbs

Suggested Shipping Method: Parcel

UPC

019372406365

Our Products and You

Submit your
story

Commonly Asked Questions

+ Where can I buy one?

[submit a question](#)

Customer Testimonials

What did you think

Related Products



Single 3 Ft. Outrigger Support Brace for Leveling Ground Support Truss Tower Base

SKU: XT-GSOUTS3



Truss Tower Stage Roofing System Package

SKU: XTP-GSBPACK164



Truss Tower Stage Roofing System Package -Top Block | Hinges | Base | Outriggers and 3.28 Ft. 2 mm Wall Truss Segment

SKU: XTP-GSBPACK3



PRO Truss Tower Stage Lift System Package -Top Block | Hinges | Base | Outriggers and 3.28 Ft. 3 mm Ladder Truss Segment

SKU: XTP-GSBPACK3 PRO

Top Truss Section for Electric Motor or Manual Chain Hoist

SKU: XT-TOPCM

SRU: X1-TOPUM



Show More
