



Home > Products > ProX Truss > F34 Conical Segments 2mm > Specialty Shapes > Wedding Heart10fT Decorative Circle Trussing Unit with 8 F34 Truss Segments

SKU: XT-HEART984

Permalink:

[Search on Google](#)

## Wedding Heart10fT Decorative Circle Trussing Unit with 8 F34 Truss Segments

[Find A Dealer](#)

### Product Images



[Download Product Images](#)

### Our Products And You

[Submit your story](#)

### ProX XT-HEART984 Wedding Heart10fT Decorative Circle Trussing Unit with 8 F34 Truss Segments

#### Description

**ProX XT-HEART984** Square Framed HEART Truss Package (7 Segments) F34

The exclusive **ProX XT-HEART984** is one of the most unique trussing elements you will find. Incorporate this into your truss designs and you will stand out from the competition.

**ProX Truss** has the most trusted staging support systems in the industry, and is built to the highest standards of safety and performance. It's a rugged yet lightweight trussing solution perfect for mobile DJs, bands, outdoor performances, nightclubs, live mobile productions, or permanent installations.

At the heart of the system is square truss that utilize a standard conical connector system, which easily mates with other brands of truss of the same size and connector style, and is available in a variety of lengths to suit your designs. It also works with different types of corners, base plates, connectors and accessories that add stability while expanding on limitless configurations.

- **Tolerance Free Standard Conical connector**
- **Main tube wall thickness of .08in**

#### XT-SQ SERIES DIMENSIONS:

- Height: 11.42in / 290mm
- Width: 11.42in / 290mm
- Weight: 21lb per 3.28 ft / 9,5kg per meter
- Main Tube: 2in / 50mm
- Wall Thickness: .08in / 2mm
- Braces: .75in / 20mm

Actual Height: Decorative Truss Segment  
Actual Weight: 175 lbs.

Heart Dimensions: (Est.) 11ft (3.35m) Tall and 12.33ft (3.75m) Wide  
Outside: 290mm - 11 7/16"  
Tubing: 2"  
Bracing: 3/4"  
Includes all connecting hardware

**ProX Truss products utilize industry standard dimensions to be compatible to connect to/with many other manufacturers trussing.**

---

### Features

- **1 XT-CSQ656-4x90 Square Frame Circular Truss 4 Segments 6.56 FT 2m**
- **1 XT-JB6W-2W Square Truss Junction Block 2 Way**
- **2 XT-SQ492 4.92ft(1.50m) Square Truss Segment**
- **1 XT-SQ164-2W90 Square Truss Corner 2 Way 90 Degree**
- **Manufactured in our Own Factory!**
- **Material: EN-AWT6 6082 Aluminum**
- **TUV Certified Aluminium Welding**

TUV Is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

---

### Package Contents

- [XT-CSQ656-4X90](#) (1) Square Frame Circular Truss 4 Segments 6.56 FT 2m
- [XT-JB6W-2W](#) (1) 6 Way Square Truss Junction Block - Includes 2 Way 8 Half Conical Couplers
- [XT-SQ492](#) (2) 4.92 Ft - 1.50 M F34 Square Truss Segment | 2 mm Wall
- [XT-SQ1642W90](#) (1) Square Truss Corner 2 Way 90 Degree Angle - 1.64 ft.

---

### Exterior Dimensions & Weight

**XT-SQ1642W90 (1):** 11.42"H x 19.68"W x 19.68"L - Weight: 15.00 lbs  
**XT-SQ492 (2):** 59.04"H x 12.00"W x 12.00"L - Weight: 25.00 lbs  
**XT-JB6W-2W (1):** 11.45"H x 11.45"W x 11.45"L - Weight: 17.00 lbs

### Shipping Dimensions & Weight

**Box 1 of 6:** XT-SQ1642W90 14.00"H x 22.00"W x 22.00"L - Shipping Weight: 16.00 lbs  
**Box 5 of 6:** XT-JB6W-2W 12.00"H x 12.50"W x 12.50"L - Shipping Weight: 17.50 lbs  
**Box 9-12 of 6 (4):** XT-CSQ656-4X90 12.00"H x 17.00"W x 56.00"L - Shipping Weight: 22.00 lbs

**Suggested Shipping Method: LTL**

### UPC

804589616184

---

## Our Products and You

Submit your  
story

---

## Commonly Asked Questions

+ Where can I buy one?

[submit a question](#)

---

## Customer Testimonials

What did you think

---

**Related Products**

---

**2.0M - 6.56ft Flat I-Beam Circle Truss Package | 4 - 90° Segments | 2mm Wall**  
SKU: XT-CH656-4X90



---

**10.82 FT (3.30M) Diameter Square Truss Star Segment (10 sections)**  
SKU: XT-STAR1082



